


SDC531

> MULTIFUNCTION COLOR SYSTEM

**Compelling
Color
Imaging**



Savin SDC531



savin®

The Savin SDC531 Puts Color Where

If your job depends on generating vivid color images and documents, then you need the Savin SDC531, a powerful digital imaging system for designers, ad agencies, Print-for-Pay facilities and Central Reproduction Departments. It copies, prints and finishes high-quality materials, such as brochures that sell products and services, presentations that win bids, and fliers and direct mail that attract customers.



Great Color For Every Occasion

The Savin SDC531 generates beautiful results on every sheet and rich, vibrant color images with smooth transitions and sharp detail – even when printing difficult subject matter such as metals, wood furniture and flesh tones.

Consistency is essential in your business. With a closed-loop color calibration system that continuously optimizes toner density, the Savin SDC531 ensures that every single print looks just right.

When it comes to proofing, color is only one of the necessary components; you've got to have the right stock, too. The Savin SDC531 enables you to output full-bleed 11" x 17" comps and

proofs on 12" x 18" sheets – complete with crop marks, printer bars and room for mark-up.

The Savin SDC531 opens up a host of printing applications with its ability to print on stocks weighing up to 158 lb. index, and sizes as small as 3.9" x 5.8". You can produce postcards, invitations, specialty brochures, or tags and labels.

Speed Demon

When you're trying to get an approval on a proof or a document, the Savin SDC531's first-copy out time of just 9.5 seconds is a major time saver. And thanks to the Savin SDC531's 31 ppm speed in full color and black & white in both copy and print modes, you'll complete the job in no time flat.

Juggling multiple projects? With the Savin SDC531, you can be outputting one job while the next is scanning on the platen or RIPing.

It Belongs: Everywhere!



Fiery Power

Maximize the capabilities of your Savin SDC531 with an optional EFI™ Fiery® controller. It gives you full control over the print queue at all times from any Macintosh or PC connected to the network, so you can prioritize jobs based on your customers' needs.



Simulate customers' corporate logos and "spot" colors with ease – including PANTONE® MATCHING SYSTEM colors – using the Fiery ColorWise® Pro utility, or you can "tweak" the color output to match a desired printing condition by using the Fiery Profile Manager.

In a production environment, you can't waste valuable time opening every file just to hit the "print" button. The Fiery Downloader frees up your workstations and minimizes network traffic by printing PDF, PostScript and EPS files without launching native applications.

Superb Scanning

With the optional Fiery controller and its Fiery Scan utility, your Savin SDC531 becomes a powerful scanning system, too. Now you can easily digitize and share hard-copy documents and photographs, sending them as e-mail attachments, or saving them to folders or file servers.

Finishing Touches

You measure productivity in terms of how many projects you complete – and that usually requires more than printing or copying alone. That's why the Savin SDC531 can be configured with an on-line finishing system to complete jobs without any manual intervention.


Savin SDC: Savin Delivers Color

When your work revolves around using color to communicate important information, you need a system that can deliver outstanding results today, tomorrow and every day. You can count on the Savin SDC531.

For more information contact your authorized Savin dealer.



www.savin.com



SPECIFICATIONS

Configuration	Console
Copy Process	Dry dual-component
Originals	Sheet/Book/Object
Maximum Imageable Area	11" x 17"
Resolution	Scan: 600 x 600 dpi Print: 600 x 600 dpi/8 bits/pixel
Gradations	256 gradations
Copy Size	Maximum: 11" x 17" on 12" x 18" Minimum: 3.9" x 5.8"
Paper Sizes	Cassette: letter, legal, ledger Bypass: 3.9" - 12" long; 5.8" - 18" wide
First Copy Out Time	9.5 seconds, FC and B&W
Copy Speed	31 cpm, FC and B&W
Warm-Up Time	Approximately 4 minutes
Multiple Copies	Up to 999 copies
Paper Capacity	1,330 sheets standard (2 x 600-sheets + 130-sheet bypass) 2 x 600-sheet optional trays 1,500-sheet LCT Maximum capacity: 4,030 sheets Trays: 17 lb. bond - 90 lb. index Bypass Tray: 17 lb. bond - 158 lb. index Automatic duplex unit: 17 - 28 lb. bond
Paper Weights	Trays: 17 lb. bond - 90 lb. index Bypass Tray: 17 lb. bond - 158 lb. index Automatic duplex unit: 17 - 28 lb. bond
Reproduction Ratios	Five Presets: 400%, 200%, 100%, 50%, 25%
Zoom	25% - 400% in 1% increments
Power	115 volts/60 Hz/16 amps
Dimensions (WxDxH)	34.2" x 29.6" x 39.3"
Weight	Approximately 413 lbs.
Power Consumption	2.0 kW maximum
Noise	60 dB or less operating
Safety	UL, FCC, EMI

ADVANCED COPY FEATURES

Color Mode	Full-Color, B&W, Auto Color, Single Color
Original Selection	Text/Photo, Text, Photo, Printed Image, Map, Advanced Image Enhancement (optional)
Image Density Adjustment	Automatic/Manual (11 levels)
Reduce/Enlarge	Automatic
Shift/Erase	Erase Center, Erase Border, Erase Center/Border
OHP Slip Sheets	Yes
Image Color Adjustment	Automatic
Operation Panel	Monochrome LCD

ACCESSORIES

Reversing Automatic Document Feeder (DF81)

Original Sizes	8.5" x 11", 8.5" x 14", 11" x 17"
Original Weights	17 - 28 lb. bond
Stack Capacity	50 sheets (17 - 24 lb. bond)
Feeder Speed	25 opm

Large Capacity Feeder (RT47)

Paper Size	8.5" x 11"
Paper Weights	17 lb. bond - 90 lb. index
Capacity	1,500 sheets

Automatic Duplex Unit (AD470)

Type	Modular/Cassette type
Paper Sizes	8.5" x 11", 8.5" x 14", 11" x 17"
Paper Weights	17 - 28 lb. bond
Maximum Capacity	30 sheets

Paper Drawer (PS570)

Paper Sizes	8.5" x 11", 8.5" x 14", 11" x 17"
Paper Weights	17 lb. bond - 90 lb. index
Capacity	600 sheets

Multi-Tray Finisher (SR930)

Paper Sizes	8.5" x 11", 8.5" x 14", 11" x 17"
Paper Weights	17 lb. bond - 140 lb. index
Stack Capacity	50 sheets (letter, 21 lb. bond); 30 sheets (legal, ledger, 21 lb. bond)
Staple Capacity	50 sheets (letter, 21 lb. bond); 30 sheets (legal, ledger, 21 lb. bond)
Staple Positions	Front, Rear, Rear Diagonal, Double
Punch	Optional (2 or 3 holes)

Booklet Finisher (SR940)

Paper Sizes	8.5" x 11", 8.5" x 14", 11" x 17"
Paper Weights	17 lb. bond - 140 lb. index
Stitching Capacity	15 sheets (21 lb. bond); 8 sheets (24 - 28 lb. bond)
Stack Capacity	50 sheets (letter, 21 lb. bond); 30 sheets (legal, ledger, 21 lb. bond)
Staple Capacity	50 sheets (letter, 21 lb. bond); 30 sheets (legal, ledger, 21 lb. bond)
Staple Positions	Front, Rear, Rear Diagonal, Double
Punch	Optional (2 or 3 holes)

Print Controller Options

E-750 Embedded Configuration
E-850 External Configuration

Savin®

Savin Corporation Stamford, Connecticut 06904 ©2004 Savin Corporation.
SAVIN® is a registered trademark of Savin Corporation.

Windows® and Windows® 95/98/Me/NT4.0/2000/XP/Server 2003 are registered trademarks of Microsoft Corporation. Macintosh®, Mac® OS and AppleTalk® are registered trademarks of Apple Computer, Inc. Adobe® and PostScript® are registered trademarks of Adobe Systems, Inc. PCL® is a registered trademark of Hewlett-Packard Company. All other trademarks are the property of their respective owners. Print speed may be affected by network, application or PC performance. Specifications and external appearance are subject to change without notice. Products are shown with optional features.

♻️ Printed in U.S.A. on recycled paper. (S1977) 35M 6/04

